
Comparison of WTLN and OKLMA Data

William H. Beasley¹, Stephanie Weiss¹, Stan Heckman²



 School of Meteorology University of Oklahoma Norman, OK 73072





























- Compared OKLMA and WTLN Data
 - **✗** Detection
 - **★** Flash Classification
- **★** Examined limited data set
 - ✓ Storm over the OKLMA
 - ✓ January 20-21, 2010

- ✓ Identified 116 flashes in the OKLMA VHF data
 - Manually determined CG or IC
 - Manually examined cognate WTLN data
 - ★ Compared automated flash classification with OKLMA
 - ★ Examined waveforms and refined classifications

- ★ 116 flashes under consideration
 - ✓ criterion of at least one WTLN fix during the duration of the flash as determined by the LMA
 - ✓ 109 flashes (94%) detected by WTLN
 - ✓ Of 109 coincident flashes, 7 not classified as to IC or CG on basis of OKLMA data
- ✓ Of 30 flashes classified as CG on the basis of LMA data, 27 (90%) were classified as CG by the automated WTLN algorithm.
- N
- ✓ Of 72 flashes classified as IC on the basis of LMA data, 61 (85%) were located by the WTLN and had IC elements.
 - ✓ Of 61, 28 also had one or more WTLN locations classified as CG within the duration of the IC flash.
 - ✓ Not too surprising in view of OKLMA characteristics
- ✓ Of 102 flashes classified IC or CG on the basis of OKLMA data, the
 WTLN detected 88 (86%).

№ Procedure

✓ Started with beginning time, lat and lon, and duration of the 116 flashes from OKLMA data



- ✓ Used the XLMA flash algorithm and manual inspection to classify 116 flashes in three categories:
 - ✓ IC (no indication that VHF source locations approached ground during the flash)
 - ✓ CG (some indication that VHF source locations approached ground)
 - ✓ Indeterminate
- ✓ Compared locations and flash type assignment for
 - ✓ flashes located by WTLN but not by OKLMA
 - ✓ flashes located by OKLMA but not by WTLN
 - ✓ flashes located by both systems

- ✓ OKLMA flash data in terms of time, lat, lon and duration of the flashes
- ★8 stations required for a solution
- N
- ★ Time, lat and lon of the first VHF source point of the flash as determined using XLMA flash algorithm
- ✓ Classification of flashes as CG or IC on basis of visual inspection of the points
 - ★ CG if there was a succession of points occurring increasingly close to the ground as time advanced
 - ★ this could occur at any time during the succession of VHF source locations, tens or even hundreds of ms after the time of the initial source point location

Some Details and Comments

- WTLN automated system saw 104 of the 116 flashes identified from OKLMA data, i.e., 90%.
- ✓ Independent manual classification agreed for 99 flashes.
- ✓ Flash classification on the basis of OKLMA data alone agreed with classification by manual inspection of WTLN waveforms for 64 of the 99 flashes.
- ★ The 35 cases in which classification based on OKLMA data disagreed with classification based on WTLN waveforms were approximately evenly split among cases in which
 - ✓ OKLMA did not suggest CG but WTLN waveform indicated RS
 - ✓ OKLMA indicated CG when manual inspection of waveforms labeled them cloud pulses or leaders
 - ✓ OKLMA indication was indeterminate
- First category above (OKLMA IC, WTLN CG) is not too difficult to explain. It is easy to believe that it might be difficult to tell from LMA points whether a flash makes contact with the ground, for well known reasons.
- ✓ Second category above (LMA CG, WTLN IC) could result from a too-restrictive definition of what waveforms of return strokes ought to look like or from "attempted leaders" delineated by OKLMA that did not result in a return stroke.

Flash Type as Function of Time

Divided time period into roughly 4 minute windows and counted CG and and IC flashes

				ratio	OS	
Period	#CG	#IC Tot	al # flashes	GCG/IC	IC/CG	total flash rate
1	0	10	10	0	∞	2.5/min
2	4	2	6	2	0.5	1.5/min
3	6	1	7	6	0.17	1.75/min
4	6	2	8	3	0.33	2.0/min
5	2	7	9	0.29	3.5	2.25/min
6	2	7	9	0.29	3.5	2.25/min
7	4	8	12	0.5	2	3.0/min
8	3	7	10	0.4	2.3	2.5/min
9	1	13	14	0.07	13	3.5/min
10	1	13	14	0.07	13	3.5/min

✓ Note in this example that total flash rate increased as IC/CG ratio increased.

Sample of Comparison Spreadsheet

									sw sh wb wt
OKLMA UTC	dur sec	lat lma	Ion Ima	SW	SH	WB	del T ms	WTLN UTC red mea	ans automated wtln said cg
23:37:56.422	0.5585	34.9111	-98.0129	IC	(R)	rsn	-0.1	23:37:56.4220657	ic cg cg ic (cg at 37,61 ms etc)
								outside box	
							36.7	23:37:56.4589284	*
								23:37:56.4834321	*
								23:37:56.4848241	
								23:37:56.8911861	*
							510.5	23:37:56.9326872	*
								23:38:52.7725435	
23:38:52.7734	0.4281	34.924	-98.0094	CG	(R)	rsn	4.8	23:38:52.7781602	cg cg cg cg *
							14.9	23:38:52.7883125	
							27.1	23:38:52.8005355	*
							28.7	23:38:52.8021246	*
								outside box	
							90.4	23:38:52.8638238	*
23:39:31:435	0.4037	34.9451	-97.97.26	IC	(+)	cp:	0.4	23:39:31.4361319	ic ic ic ic
							4.0	23:39:31.4396941	
							7.5	23:39:31.4432414	
23:40:26.638	0.4885	34.9162	-97.957	ΙÇ	(:+:)	cp:	:	23:40 26.6401111	ic ic ic ic
							(-3.6)	23:41:44.1992767	
23:41:44.2029	0:4996	34.9293	-97.9938	CG	(R*)	rsn	-1.1	23:41:44.2018265	cg cg cg ic
					```'			23:41:44.2174551	
23:43:06.003	0.5781	34.9437	-97.9907	IC	(R)	rsn		23:43:06.0036785	ic cg cg ic (cg at 3, 30 ms)
					(* -)			23:43:06.0059546	*
								23:43:06.0329143	*
							198.2	23:43:06.2012532	
							374.3	23:43:06.3773531	
							451.0	23:43:06.4541217	
23:44:16.946	0.4917	34.9925	-97.9763	IC	(R)	rsn	3.3	23:44:16.9500931	ic cg cg cg * (cg at 3.3,245 ms)
				1	()			23:44:16.9893038	(19 11 11 11 11 11 11 11 11 11 11 11 11 1
								23:44:17.0551461	
								23:44:17.1917245	*
								23:44:17.1928049	
								23:44:17.1947882	

- ★ Comparison of LMA and WTLN classifications was based on WTLN waveform at time nearest the beginning of the OKLMA flash interval
  - ✓ can be misleading
  - ★ CG sometimes ms to hundreds of ms after first point

★ CG flash in the WTLN data at a later time for many of the cases in which there was not one at the beginning

### Suggestions for Future Comparisons

▶ Determine best estimates of times of CG flashes as indicated by sources approaching the ground in the LMA data

★ Compare times with WTLN CG and IC flash times

★ Establish "ground truth"

video, delta E network

#### Conclusion

## For **this** study

☐ WTLN detected approximately 90% of total lightning flashes as determined by OKLMA

☐ WTLN automated flash categorization was approximately 95% correct